Appl. No. 10/659,120

Response and Election Dated August 9, 2004 Reply to Office action of June 10, 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/659,120

Confirmation No.3576

Applicant

Kazuhiro Kumadaki et al. September 10, 2003

Filed TC/A.U.

2854

Examiner

Ren Luo Yan

Title

IMAGE FORMING APPARATUS

Docket No.

36096

Customer No.

000116

Commissioner for Patents

P.O. Box 1450

Alexandria VA 22313-1450

RESPONSE AND ELECTION

(In response to Office action mailed June 10, 2004)

Sir:

This communication is filed in response to the Office action dated June 10, 2004 (Paper No.20040609). The one month period for responding to the Office action expired on July 10, 2004. Applicant hereby petitions and requests for a one (1) month extension of time to extend the response period from July 10, 2004 through August 10, 2004. A check in the amount of \$110 is enclosed to cover this fee.

The Examiner has required Applicant to elect a single invention for prosecution on the merits. Applicant hereby elects to proceed with the Group I claims 1-12 and 18-24 without traverse.

08/12/2004 EAREGAY1 00000050 10659120

01 FC:1251

110.00 OP

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date indicated below.

Michael W. Garvey

Name of Attorney for Applicant(s)

08,09,2004

Appl. No. 10/659,120 Response and Election Dated August 9, 2004 Reply to Office action of June 10, 2004

Applicant also requests acknowledgment of the priority claim and confirmation that the priority documents have been received.

If there are any additional fees resulting from this communication, please charge same to our Deposit Account No. 16-0820, our Order No. 36096.

Respectfully submitted,

PEARNE & GORDON LLP

By:

Michael W. Garvey, Reg. No. 35878

1801 East 9th Street Suite 1200 Cleveland, Ohio 44114-3108 (216) 579-1700

Date: August 9, 2004